

IT IS PERHAPS THE SMALLEST SPACE American breed of extraordinary. It's why we've created our own daring build. It takes tenacity, a refusal to leave well-enough alone. That is the school of design that bends steel way beyond its comfort zone. It's why we've pushed technology two generations ahead by pioneering a bold WAY TO GET THERE IS SIMPLY TO BELIEVE YOU CAN. with the flick of a finger. And why, in everything from safety just making luxury vehicles, and making Cadillacs. KNOWN TO MAN. At Cadillac, we've set out to create our own uniquely Eadillac




IF YOU'RE GOING TO MAKE A STATEMENT,











NÜRBURGRING'S FAMED KARUSSELL CORNER

the world's best. Not only did we set the standard for production sedan performance, we also brought a piece of the German 'Ring home with us. We recreated some of the most











ADRENALINE,



10-SPOKE WHEELS
The lightweight, forged aluminumwheels are paired with exclusive M
Pilot* Sport PS2** tires specifically
developed for the V.



CENTER-MOUNTED EXHAUST
The rear fascia center exhaust features
brilland throme-plated stainless steel tips,
a bold exclamation point to an already
powerful statement.





every dial meticulously designed and placed precisely where it should be. Available sueded microfiber accents on the


6-SPEED TRANSMISSION

A TREME® duminum-ally TR-0.00 6-speed manual gendros is standard designed with a short-throw shifter and dual-disc dutch. A 6-speed automatic, is available and incorporates steering wheel-mounted paddle shifters.

RECARO* PERFORMANCE SEATS

When pushing the performance envelope of
the V, you want to be firmly induced by our scat.

Available RECARO* front heated and ventriated
performance seating adjusts 14 ways with
presentate balester controls and establinal-length
adjusters. Providing confidence-inspiring support
for both the driver and front-sext passenger, it
was designed to fit you like a glove.



24 CTS-V SEDAN HIGHLIGHTS


WE CERTAINLY HOPE SO.



Stimulation this extraordinary should be shared. With its audacious 556 HP supercharged V8 engine and a 3.9-second 0-60 MPH time, this is the world's fastest production sedan. Every exacting detail of the CTS-V Sedan was designed and engineered for maximum performance. Its chassis, lowered by 10 mm in front and 16 mm in the rear compared to the CTS Sport Sedan to minimize air flowing underneath, is superbly controlled by the dual-mode Magnetic Ride Control. The bold front fascia was designed with an integrated splitter to improve aerodynamics, while vented ducts force-feed plenty of cooling air to the race-bred Brembo* high-performance brakes. Even the 10-spoke 19* aluminum-alloy wheels are forged for lighter weight. It's a world-class level of performance, and with four doors and a spacious rear seat, you can share the thrill with four very fortunate friends.







YOU MAY ASK, "WHY?"

WE ASKED, "WHY NOT?"









POWER LIFTGATE

The power liftgate can be programmed to suit virtually any height. Besides fully open, it can be set for a lower opening to avoid contact with a garage ceiling.

KEYLESS ACCESS / ADAPTIVE REMOTE START

By simply carrying a transmitter in your packet or purse. Kryless' Actees undocks the driver's door for you. Walk away and it locks all the doors. With Adantive Remote Start (automatic transmission models only), just press a button on the key Job, the lightlon starts the engine and also activates the climate control system to perfectly adults the interior temperature.

to turn the page. No other wagon boasts this combination of high-performance credentials, with a 556 HP the place of traditional bars, it all fuses into a seamless profile. In back, signature vertical LED taillamps intense. From the aggressive mesh grille to the boldly chiseled sheet metal and integrated roof rails that take



PROTECTIVE OF ITS OWNERS.



At Cadillac, we believe the best way to survive a collision is to avoid one in the first place.

ACTIVE FRONT-SEAT
HEAD RESTRAINTS
They're designed to move forward and upward in a rear-end collision decreasing the space between the

Active safety begins with a responsive engine, powerful brakes and an agile suspension. To these we add a rearview backup camera, Side Blind Zone Alert,¹ StabiliTrak Electronic Stability Control, an advanced antilock braking system (ABS), and all-speed traction control. But when a collision can't be avoided, we've engineered a rigid body structure and strategically placed crumple zones. Peace of mind also comes with six standard airbags² and a one-year subscription to OnStar² Automatic Crash Response. In a crash, built-in sensors in your vehicle can automatically send an alert to an OnStar Advisor, who can contact you in your car.

RADIANT SILVER METALLIC

WHITE DIAMOND TRICOAT



A premium 2-layer point application with A meticulous 3-layer process that the addition of a linead clearcoat, lending results in a dramatic hue-shifting color, the finish an extra depth and brightness.



BLACK RAVEN

RED OBSESSION TINTCOAT

MAJESTIC PLUM METALLIC1.3

MOCHA STEEL2

INDIVIDUALIZED

INTERIOR THEMES.

Personalize your CTS-V with these unique interior combinations. Select highlights include rich, soft leather seating surfaces with sueded microfiber inserts, available Recaro® performance seats and beautifully grained Midnight Sapele wood trim.



Light Titanium seats with Light Titanium sueded microfiber inserts / Midnight Sapele Wood Trim³







Also available with Midnight Sapele Wood Trim.
RECARO "performance seats also available without Midnight Sapele Wood Tr
Also available without Midnight Sapele Wood Trim.

Ebony RECARO® performance seats with Ebony sueded microfiber inserts / Midnight Sapele Wood Trim²

Ebony seats with Ebony sueded microfiber inserts¹





Ebony RECARO® performance seats with Saffron sueded microfiber inserts⁴/ Midnight Sapele Wood Trim









19-10-SPOKE PAINTED
ALUMINUM ALLOY WHEELS
Standard on all Yselies and includes
Mitablin" Plot Sport S2" thes
V-Sedan and V-Wagan Sizes:
19-x-9-front with P285/458.19 thes
19-x-9-frear with P285/358.19 thes
V-Couns Sizes:

V-Coupe Sizes: 19" × 9" front with P255/40R19 tires and 19" × 10" rear with P285/35R19 tires



19" 10-SPOKE POLISHED
ALUMINUM ALLOY WHEELS
Available on all V.Series and Includes
Michelin® Pilot® Sport PS2® tires
V. Sedan and V.Wagon Slzes:
19" × 9" from with P285/49R19 tires and
19" × 9.5" rear with P285/35R19 tires

V-Coupe Sizes: 19" × 9" front with P255/40R19 tires and 19" × 10" rear with P285/35R19 tires



CADILLAC SHIELD

THE STANDARD OF LUXURY OWNERSHIP



WARRANTY PROTECTION

Cadillac's & yaor or 70,000 mile* Powertain Warranty offers mance yaor san dimiles standard than 8MW and Marcades Benz, In addition, our 4 year or 50,000-mile Bumper to Bumper Warranty cover s explains on your entire vahicle, in mediding parts and abor, to correct problems in materials or wooknamaship.



Oň

SECURITY BY ONSTAR

DIAGNOSTICS BY ONSTAR

With best in-class diagnostics from OnStar's maintaining your Cadillac can be as simple as thecking your e-mail or your OnStar RemoteLink** mabile app. Every month, you can receive an e-mail with the status of key operating systems or push your OnStar button for a real-time diagnostics theek on demand.

Care Maintenance program, Cadillac Shield gives luxury owners everything they need.

comprehensive suite of owner benefits offered by any luxury automotive brand in the world. The result is Cadillac Shield, and it backs every vehicle we sell. Cadillac Shield is the most We set out to create the ultimate customer experience that exceeds every luxury vehicle brand

From innovations like Remote Vehicle Diagnostics and advanced mobile apps to our Premium

PREMIUM CARE MAINTENANCE

The standard one-year Directions and Connections? Brand Indivas you to just one button to connect with a like Advisor to find the things and places you want. Get directions or a diagnostic sheets while you drive. Make calls safely with both hands on the wheel and control your vehicle with the Remote Life involved in a crash or an energency. These are just a few examples of the level of personal service we think you deserve as a Christian aware.



ROADSIDE ASSISTANCE

Cadillac offers more years of Roadside Assistance standard than any leading luxury brand, with services for 6 years or 70,000 miles? The program provides lockout, towing, refueling, Dealer Technician Roadside services, and more.



COURTESY TRANSPORTATION

This Cadillac program provides alternate transportation and/or reimbursement of certain transportation expenses if your Cadillac requires warranty repairs for 6 years or 70,000 miles! That is more years of service standard than any luxury automaker.



NAVIGATION BY ONSTAR

Just push the OriStar⁴ button and an Advisor can download voice-guided turn-by-turn directions to your Cadiliac, and a voice will call out every turn or send them to your navigation system, if equipped You can also plan routes using MapQuest.com* and send



CONNECTIONS BY ONSTAR

Available Hards: Free Calling capability from OxStar A illows you to make and receive calls sofely from your Cadillac. With the On Star Remote Link mobile app, you can access real-time information and control your Cadillac from anywhere you have cell phane service. Now you can even find a destination with Remote Link and send directions right to your webicle.







EMERGENCY BY ONSTAR

connected in to your Cadillac to see if you need help sent to your exact location. Other OnStard emergency services include Injury Severity Predictor and First Assist, which ensure you quickly get the help you need when seconds matter most. All Cadillac models come with 1 year of OnStar service standard.







The ingenuity of the CTS-V doesn't stop with the vehicle. As a Cadillac owner, an advanced compliance of the compliance

CIS-V COOPE FEALORES AND OFILONS

DIMENSIONS	200		CADACITIES
Head room	36.9"	34.6"	Cargo volume 10.5 cu. ft.
Hip room	54.5	47.7	
Shoulder room	56.0	50.9	Fuel(gat, approx.) 16.0
POWERTRAIN			
ENGINE 6.2L supercharged V8			
HOR SEPOWER 556 @ 6,100 mm			
TO RQUE 551 b. ft. @ 3.800 rpm			
COMPRESSION RATIO 9.1:1 nominal			
VALVETRAIN Overhead valve, two valves/cylinder; 12.2 mm lift	linder; 12.2 m	mlift	
IGNITION SYSTEM Direct-mount ignition coils, extended-life dual platinum-tipped spark plugs	ctended-life dı	ıal platinum-ti	ipped spark plugs
FIRING ORDER 1-8-7-2-6-5-4-3			
BORE × STROKE (MM) 103 × 92			
FUEL SYSTEM Segmential fuel injection			
BLOCK Cast aluminum			
CYLINDER HEAD Cast aluminum			
CRANKSHAFT Steel, 8-bolt flange			
CAMSHAFT Hydraulic roller-type, low lift			
CONNECTING RODS Forged powder metal			
A DDITIONAL FEATURES Pan-mounted oil cooler; cast i	pistons; high-f	l <i>aw</i> cylinder he	pistons; high-flow cylinder heads; block-mounted piston squirters; close-mounted converters; accustic engine cover; E67 engine contro
6-speed automatic transmission is a Gear Ratios — 1st; 4,02; 2nd; 2,36;	on is available 2.36: 3rd: 1.5	with torque co	0.5 VDF, AUTUMATIC utomatic trasmission is available with torque converter clutch, performance shifting and clutchless manual operation using Driver Shift Control with stee 05 - 1st. 4.02: 2nd; 2.36: 2nd; 1.32-4ht; 1.15-5ht; 0.88-6ht; 0.67: Reverse: 3.08-Final Drive; 3.23
TRANSMISSION, MANUA 6-speed TREMEC® TR-6060 Gear Ratios - 1st; 2,66; 2nd;	L manual 1.78; 3rd: 1.3	0; 4th: 1.00; 5	TRANSMISSION, MANUAL Septed RECEIVE AND CONTROLL AND
CHASSIS AND SUSPENSION	PENSION	_	
CHASSIS Performance rear-wheel drive system	system		
BRAKES High-performance aluminum t with wented 370 mm two-piece	b-piston front, protors front.	4-piston rear c 365 mm rotors	BAKKES High-performance aluminum 6-piston front, 4-piston rear caliçer (silver finish with black V accents), Brembo [®] disc brakes with vended 370 mm two-piece notors front, 365 mm rodors rear-power-assis with 4-channel anti-lock brake system
ELECTRONIC STABILITY CONTROL SYSTEM StabiliTrak, 4-channel, computer-controlled, four driver-selectable modes	CONTROL: ster-controlled	SYSTEM , four driver-se	selectable modes
LIMITED-SLIP DIFFERENTIAL With axle positraction	NTIAL		
PERFORMANCE-TUNE D I Front: Independent, short/lon- Rear: Independent, short/lon-	DUA L-MOD E g arm; 29 mm g arm; 25.4 mi	MAGNETI hollow stabiliz n solid stabiliz	PERFORMANCE-FUNKED DUÁL-MODE MAGNETIC RIDE GONTFOL SUSPANSION Fant: Independent, skort (Ingamn; 24 mm hollos stabilter bar; elestemeric handling boshings and ydraulic ride bushings; 65-Nimn spring rate Baar: Independent, skort (Ingamn; 25 4 mm sold stabilter bar; elestomeric trailing link bushing; 90-Nimm spring are
ZF Servotronic® 2, speed-sens	itive, power-a	ssisted rack-a	rolic [®] 2,5peed-sensitive, power-assisted rack-and-pinion; variable ratio
All-speed with brake and engine intervention	ne interventio	n	
54/46 front/rear			
EXTERIOR FEATURES GRILLE Wire medi	RES	ı	ı
LIGHTING Day time running lamps with Tw and windshield wiper activation	rilight Sentinel and headlamp	automatic oper washers; Adap	URITING Dyvine running lamps with Twilight Sentined automatic operation, Xeron High-Intensity Discharge (HID) headlamps with flash-to-pacs and windsheld leger activation and headlampsusters; Augstine Forward Lighting Foglamps; Huminated entry, LED tallamps
Driver and passenger, heated, por	power-adjusta	able and manu	passenger, heated, power-adjustable and manual folding, with memory
SPOILER Integrated, with CHMSL			
TIRE PRESSURE MONITORING SYSTEM	DRING SYST	EM	
19" 10-spoke painted aluminu	m alloy wheel:	s, includes Mic	19" 10 Spoke painted aluminum alloy wheels, includes Michelin® Pilot® Sport PS2" thes



INTERESTICATE ACTIONS ADMINISTRATION OF THE ACTION OF THE

DIMENSIONS FRONT REAR	CAPACITIES
ı	Cargo volume 13.6 cu. ft.
Hip room 53.7 53.0	Seating 5
ш	
ENGINE	
HORSEPOWER 556 @ 6.100 mm	
TO RQUE 551 lbft. @ 3,800 rpm	
COMPRESSION RATIO 9.1.1 nominal	
VALVETRAIN Overhead valve, two valves/cylinder; 12.2 mm lift	
IGNITION SYSTEM Direct-mount ignition coils; extended-life dual platinum-tipped spark plugs	ped spark plugs
FIRING ORDER 1-8-7-2-6-5-4-3	
BORE × STROKE (MM) 103×92	
FUEL SYSTEM Sequential fuel injection	
Cast aluminum	
Cast aluminum	
Steel, 8-boil flange GAMSHAFT	
Hydraulic roller-type, low lift CONNECTING RODS	
RES	skians: high libur skinder heaks high-angunted piston saulrieres; bes-mannted converters; acoustic engine covert EKT engine controller
TRANSMISSION, AUTOMATIC 6-speed automatic transmission is available with torque con	AUTOMATIC Automission is about with torque converter clutch, performance shifting and clutchess manual operation using Driver Shift Cordrol with steering whe one made is the state of the Control one of the Control of
TRANSHISSION, MANUAL 6-speed IREMISC* IR-6-060 manual 6-speed IREMISC* IR-6-060 manual 6-speed IREMISC* IR-6-060 manual	h: 0.80) 6th: 0.63; Rewrse: 2.90; Final Drive: 3.73
CHASSIS AND SUSPENSION	
Performance rear-wheel drive system	
brAnke. High-performance aluminum 6-piston front, 4-piston rear caliper (sliver finish with black V accents), Brembor disc brakes with vented 37.0 mm two-piece rotors front, 365 mm rotors rear-power-assist with 4-channel anti-lock brake system	løer (silver finish with blæck Vaccents). Brembo ^o disc brakes ear; power-assist with 4-channel anti-lock brake system
ELECTRONIC STABILLIT CONTROL SYSTEM StabilTrak_Achannel_computer-controlled_four driver-selectable modes LIMITED-SLIP DIFFERENTIAL	ectable modes
With axle positraction PERFORMANCE-TUNED DUAL-MODE MAGNETIC	RIDE CONTROL SUSPENSION
Front Independent, short/long arm; 29 mm hollow stabilize Rear: Independent, short/long arm; 25.4 mm solid stabilize Rear: Independent short	r an vinne matrie ", this is soon a moter mater to be the soon in a fee soon because the bestings 65 Minn spring rate Froit independent, short thing a mr. 25 mil milk on stabilizer bur ye asstomer banding bondings and bydraulic ride boarings 65 Minn spring rate Most independent, short thing a mr. 25 mil milk of stabilizer bur elasteneric trading the boarings 90 Minn spring rate \$18 ER MIN
ZFServotronic 2_speed-sensitive, power-assisted rack-and-pinion; variable ratio TRACTION CONTROL SYSTEM All-speed with brake and engine intervention	d-pinlon; variable ratio
WEIGHT DISTRIBUTION 54/46 front/rear	
GRILLE With most	
LIGHTING Day time running lamps with Twilight Sentinel automatic oper and windshield wiper activation and headlamp washers; Adapa	TEMPTINE Deprimenting lymps with Turlight Sentied automatic operation, Xenon High-Intensity Discharge (HID) heatlannps with flush-to-pass and windshiedd wiper activation and head improvaders; Adaptive Forward Lighting toglamp; Huminated entry, LED taillungs.
Driver and passenger, heated, power-adjustable and manual folding, with memory GHR OMED EXHAUST TIPS	I folding, with memory
SPOILER Integrated, with CHMSL	
TIRE PRESSURE MONITORING SYSTEM WHEELS	
19° 10 spoke painted aluminum alby wheels, includes Michelin° Pilot° Sport PS2" tires WIPERS Authorities	elin" Pilot "Sport PS2" thes





72.51
INTERIOR FEATURES ADAPTIVE REMOTE START
ACHINECT RECEIVED STATE IN EQUIPORS, CHINECE CONTROL STATE AND THE CONTROL OF THE
ALRBAG S: Driver and drivit passenger front-impact; Passenger Sensing System; driver and front passenger seal-mounted side-impact for thorax and pelvic protection; first second-row outboard head-curtain side-impact.
AUDIO SYSTEM
CD obleve with Dissolated Bose, Surround sound system, MPS player, 30 GB for misic storage, AudioPlatinoles compensation, RDS- and USB audio connectivity? RLUETOOTHY FOR PRINCIPLE AND AUDIONESS. Hands Proceduling for polynomes.
CLIMATE CONTROL Dial-zone automatic electronic climate control with individual settings for driver and front passenger; outboard out its adjustable for additional side-window defogging; electronic rear-window defogger
CONSOLE Front center floor console with shifter, integraled armrest, storage, and cupholders
CRUISE CONTROL Electronic, with set and resume speed
C. POTE INFORMATION CENTER
Execution of body from and loar drover
LIGHTING Ambient interior with LED spotlights and lighting pipes, illuminated entry
MEMORY Presets for two drivers, includes 10-way power driver seat, outside mirrors, and power-steering column
A Robentik dimming reaview mirror with OnStar controls
Includes 11 tim, DEFIDE OF The Include of Biograph globe-up touch-screen with voice and text guidance OVETAR
ACADIATORIE PRATORI CONTRECTATO E CONTRECTAT
SEATING Spasninger front heated bucket leather seating surfaces with sueded microfileer inserts; 10-way power driver and front passenger seat, including 2-way power driver and front passenger seat, and the seat seat with seater same seat seat with seater same seat with seater same seat with seater same seat with seater same seat which seater same seat with seater same seater same seater
StatusXM RAD10' With three trial months
STEERING COLUMN Power-tilt whee, I telescoping
STEERING WHEEL Leather-brimmed, tilk wheel-adjustable with fingertip controls for audio system, traction control, cruise controls and Bluetooth Splone interface
THEFT DETERRIN'S SYSTEM THEFT DETERMINES SYSTEM HTPASS-Rey III # Introduction of the Statement System HTPASS-Rey III # Introduction of the Statement System
With addition man man massari With addition man man massari UNIVERSAL HOME REMOTE
3-channel programmable VISORS
TERRITHMENT SERVICE AND THE OFFICE AND THE ADDRESSESSES THE WINDOWS PROPERTY OF THE PROPERTY OF THE ADDRESSES ADDRES
OPTIONS
Bremba) yellaw with black Vaccents or red with gray Vaccents ENGINE BLOCK HEATER
PERFORMANCE SEATING Ventilated driver and front passenger RECARO® M-way performance seats with sport alloy pedak
ACCE knab
ULTRAVIEW SUNROOF Power, tile-sloting, electric with express-open and power sundade
THE ENFLATOR KIT
19° 10 spoke polisied aluminum alloy wheek, includes Michelin "Pliot" Sport PS2" tires 19° 10 spoke aluminum alloy satin graphite wheeks, includes Michelin "Pliot" Sport PS2" tires
WOOD TRIM

CIS-V WAGON FEATORES AND OFFICES

DIMENSIONS F	FRONT REAR		CAPACITIES
Head room Hip room	38.8" 37.1" 53.7 53.0		Cargo (rear seat down) 25.0 cu. ft. Cargo (rear seat down) 58.0 cu. ft
Shoulder room	56.7 54.7	11	Searing 5 Fiel (gal., apprex.) 18.0
POWERTRAIN	ı	ı	
6.2L supercharged V8 HOR SEPOWER			
70 RQUE 551 lb.44 @ 3.800 ram			
COMPRESSION RATIO 9.1:1 nominal			
VALVETRAIN Overhead valve, two valves/cylinder; 12.2 mm lift	der; 12.2 mm li	ft	
IGNITION SYSTEM Direct-mount ignition coils; exte	M on coils; extended-life dual platinum-tipped spark plugs	datinum-tippe	zed spark plugs
FIRING ORDER 1-8-7-2-6-5-4-3			
BORE × STROKE (MM) 103 × 92			
FUEL SYSTEM Sequential fuel injection			
BLOCK Cast aluminum			
CYLINDER HEAD Cast aluminum			
CRANKSHAFT Steel, 8-bolt flange			
CAMSHAFT Hydraulic roller-type, low lift			
Forged powder metal			
Pan-mounted oil cooler; cast pistons; TRANSMISSION, AUTOMATIC 6-speed automatic transmission is av	tons; high-flow TC is available with	cylinder heads	ax platon; high flow cylinder heads; block-manned diston squirters; chos-manned converters; assosite engine cover; EG7 engine controller body ATTE tission is available with timple converter chiedli, performance shifting and chicoless manual operation using Driver Shift Control with seering wheel-mounted passide shift
TRANSMISSION, MANUAL 6-speed TREMEC® TR-6060 ma Gear Ratios — 1st: 2.66; 2nd: 1.7	anual 18; 3rd: 1.30; 4:	th: 1.00; 5th:	**TRANSHISSON, MANUAL** - Septed TREBIEC** (TR-5050 manual**) - Septed
CHASSIS AND SUSPENSION	ENSION		
CHASSIS Performance rear-wheel drive system	stem		
BRAKES High-performance aluminum 6-p with wented 370 mm two-piece re	iston front, 4-pi	ston rear calip mm rotors rea	BAIKES High-performance aluminum 6-piston front, 4-piston rear caliper (silver finish with black V-accents), Brembo [®] disc brakes with vended 37 mm byo-piece miner front, 565 mm rators rear-rapage-assis with 4-plannel and l-de k brake system
ELECTRONIC STABILITY CONTROL SYSTEM StabiliTrak, 4-channel, computer-controlled, four drive	ONTROL SYS	YSTEM four driver-selectable modes	ec table modes
LIMITED-SLIP DIFFERENTIAL With axle positraction	TAL		
PERFORMANCE-TUNE D DU Front: Independent, short/long a Rear: Independent, short/long ar	A L-MODE M. rm; 29 mm holl m; 24 mm solk	AGNETIC R low stabilizer I d stabilizer bar	PERROPALMOE TIME D. DULL-MODE MAGNETIC RIDE CONTROL SUSPENSION. From Independent, briting a mr. 29 mm bino usabiliter bar; distrance chaming harbigs and sydenale ride bushings; 65-11mm spring rate Near Independent, briting arm 24 mm bild stabiliters bar; distourent calling link bushing; 50-11mm spring rate
ZF Servotronic® 2, speed-sensitive, power-as TRACTION CONTROL SYSTEM	ve, power-assis	ted rack-and-p	nic [®] 2, speed-sensitive, power-assisted rack-and-pinion; variable ratio
WEIGHT DISTRIBUTION 51/49 front/rear			
EXTERIOR FEATURES	S		
GRILLE Wire mesh			
LIGHTING Daytime running lamps with Twilki and windshield wiper activation ar	ght Sentinel auto nd headlampwas	omatic operatic shers; Adaptive	LIGHTTINE Digital maris jamp with Wrilight Seated automatic operation, Xenn High-Intensity Discharge, (HID) heathangs with this-to-pass and wintishted view activation and head annowabers; Adaptive Forward Lighting toglams; Illuminated entry, LED tailburgs.
MIRRORS Driver and passenger, heated, power-adjustable and manual folding, with memory	wer-adjustable	and manual fo	folding, with memory
TIRE PRESSURE MONITORING SYSTEM	ING SYSTEM		
WHEELS 19" 10-spoke painted aluminum	allov wheels, in	cludes Micheli	S Specified aluminum alloy wheels, includes Michelin® Pilot® Sport PS2™ tires
WIPERS Automatic Rainsense winers with	a tota da	ollon	





INTERIOR FEATURES
ADA PTIVE REMOTE START Activates heatedvent lated seats (It equipped), climate control system and near defroster (not available with 6-speed manual transmission)
AIK FILIMATION SYSTEM AND THE PROPERTY OF THE
RMIRES III COMPANIA DE LA COMPANIA DEL COMPANIA DE LA COMPANIA DEL COM
JUDIO SYSTEM Bode Sucramid sound system, MP3 player, 10 6B for mosk storage, Audio Plot on be compensation, RDS: and USB audio connectivity' BLUSTOOTHY FOR PHONE INTERFACE:
LIMATE CONTROL of components LIMATE CONTROL of components Dial-zone automatic electronic crimate control with individual settings for driver and front passenger; authorated authets adjustable for additional side-window defoughing electronic rear-window defougher Dial-zone automatic electronic crimate control with individual settings for driver and front passenger; authorated out lets adjustable for additional side-window defoughing electronic rear-window defougher.
CONSOLE Front center floor console with shifter, Integrated armrest, storage, and cupholders
CRUISE CONTROL Electronic, with set and resume speed
DRIVER INFORMATION CENTER
ELECTRIG PARKING BRAKE
KEYLESS ACCESS Passiveentry on both front and rear doors
LERITING Archiert Interior with LED spotlights and lighting pipes, Illuminated entry
ME AUUK . Proest for two drivers, includes 10-way power driver seat, autside mirrors, and power steering column
MIRROR Automatic dimming rearview mirror with OnStar controls
Includes 8' diagonal glide-up touch-screen with voice and text guidance
No Autor one-year Directions & Connections Plan
Displays on the navigation screen
EEATING "Spassenger, from theated bucker leather seating surfaces with sueded microfiber riserts; 10 way power of viver and front passenger seat, including 2 way power of viver and front passenger lumbar control; solic-fold mar seat with seater amment.
StrusXM RADJO* With three trial months
STEERING COLUMN Power-lift wheel, telescoping
STEERING WHEEL Leatme-trimmed, till wheel-adjustable with fingertip controls for audio system, traction control, cruise controls and Blueboth' phone interface
HER I VOEL KYKEN D 131 EN PASS-koy 111+ immobilizer auditbe content übelt-deterrent system KYPANS-koy 111- immobilizer in 111-
ULTRASONIC REAR PARK ASSIST With audible warning
3-diannel programmable
VISORS Illuminated vanity mirrors, driver and front passenger
WIND OWS Power with express-up and -down on driver and front passenger side windows; rear windows express-down; rear passenger windows with child lockout system
OPTIONS
Bembő; yelbew diti blads Vacents or red with gray V acents Bembő; yelbew diti blads Vacents or red with gray V acents
PERFORMANCE SEATING Ventibated driver and front passenger RECARO *14-way performance seats with sport alloy pedats
SUEDED MICROFIBER ACCENTS On steering wheel and shift knob
PULTRAVIEW SUNROOF FOR THE WAS UNROOF THE WAS SUPERATED FOR THE WAS T
THE INFLORENCE
127 - 103 polsky all utilization and polywhete. In a find utilization and the state of the state
WOOD TRIM WOOD TRIM

1. About all surp jett and the correct following to get and by even in vivide and in plants. Each in motion employed with havingst sent of jetting of the plants of the pl



ABOUT THIS CATALOG

ENGINES Cadillac po suppliers to GM worldwide

THE SEALANT AND COMMRESSOR KIT Structure the displaced of the transministration the retroit or manifested scale for inspection and report account possible but at least within 30 miles of devium, The time scaling counts and and inflate sidewall demangs purchased singer time 12 and highly for 10 for inthin unumbed from the wheel. The solitons can only be used on one time one time deligned is comerciated action.

ASSEMBLY Codillac vehicles and their components are assembled or produced by different operating units of General Motors, its subsidiaries or suppliers to 64 workside. We sometimes find it necessary to produce Codifice vehicles that offerent or differently surred components than signoinly scheduled. Since some explore may be unavailable when your which it assembled, we suppose that you verify that your vehicle includes the explanent you ordered or, if there are changes, that tray are acceptable to you.

UPDATED SERVICE INFORMATION Cadillac dealers receive useful service builetins about Cadillac products. You may purchase them from Helm Incorporated by calling 1-800-551-4123 or by visiting www.helminc.com.

NEW-VEHICLE LIMITED WARRANTY World-class coverage comes standard on every 2013 Cadillac. This warrandy is for Cadillac vehicles registered in the U.S.A. See your

COVERED FOR 6 YEARS/70,000 MILES (WHICHEVER COMES FIRST) Powertrain Limited Warranty with no deductible, Roadside Assistance Program!

COVERED FOR 4 YEARS/50,000 MILES (WHICHEVER COMES FIRST) Bumper-to-Bumper coverage; Tires - Defects in material and workmanshig; Repairs made to correct any vehicle defect; Cornolion on body sheet metal panels.

RUST THROUGH PROTECTION Coalliac vehicles are designed and built to resist corrosion and rust-through corrosion. Any body sheet metal that rusts through (in the form of an

FLEET ORDERS Some standard content may be deleted with fleet ords.
See dealer for details.

SCAN TO LEARN MORE ABOUT THE 2014 CTS-V SERIES



